







- [2] Y. Otake, et al., "State of the art RF distribution and Synchronization techniques", Proc. of FEL2011, Shanghai
- [3] H. Maesaka, et al., "Sub-micron resolution rf cavity beam position monitor system at the SACLA XFEL facility", submitted to Nucl. Instr. Meth. A
- [4] H. Maesaka, et al., "Performance of the RF BPM at XFEL/SPRING-8 "SACLA"", Proceedings of the 8th Annual Meeting of Particle Accelerator Society of Japan (2011)
- [5] H. Maesaka, et al., "Development of the RF Cavity BPM of XFEL/Spring-8", Proceedings of DIPAC09, Basel, Switzerland (2009) p. 56-58
- [6] H. Maesaka, et al., "Stability improvements of the XFEL intensity at SACLA", in these proceedings
- [7] T. Asaka, et al., "Variability analysis of a beam at SACLA", in these proceedings
- [8] T. Hasegawa et al., "Upgrade of a precise temperature regulation system for the injector at SACLA", in these proceedings
- [9] H. Maesaka, *et al.*, "Fiber Length Stabilization for the Optical Timing and RF Distribution System of XFEL/SPRING-8", Proceedings of the 4<sup>th</sup> Annual Meeting of the Particle Accelerator Society of Japan, (2007).
- [10] K. Tono, et al., "Photon Beam Diagnostics for X-ray, VUV, XFEL", Proceedings of Beam Instrumentation Workshop, Newport News, USA (2012) TUB01